SIGMA-ALDRICH

Material Safety Data Sheet

Version 4.4 Revision Date 10/29/2012 Print Date 03/12/2014

1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | : | Lithium |
|--|---|---|
| Product Number Brand | : | 499811 Aldrich |
| Supplier | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA |
| Telephone | : | +1 800-325-5832 |
| Fax | : | +1 800-325-5052 |
| Emergency Phone # (For both supplier and manufacturer) | : | (314) 776-6555 |
| Preparation Information | : | Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956 |

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Water Reactive, Corrosive

GHS Classification

Substances, which in contact with water, emit flammable gases (Category 1) Skin corrosion (Category 1B) Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

3

| • | • |
|-------------------------------------|--|
| Hazard statement(s) H260 H314 | In contact with water releases flammable gases which may ignite spontaneously. Causes severe skin burns and eye damage. |
| Precautionary statement | (s) |
| P223 | Keep away from any possible contact with water, because of violent reaction and possible flash fire. |
| P231 + P232 | Handle under inert gas. Protect from moisture. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/ physician. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| P422 | Store contents under inert gas. |
| | |

Other hazards

Reacts violently with water.

HMIS Classification Health hazard:

| Flammability: | 3 |
|--------------------------|---|
| Physical hazards: | 3 |
| NFPA Rating | |
| Health hazard: | 3 |
| Fire: | 0 |
| Reactivity Hazard: | 2 |
| Special hazard.: | W |
| Potential Health Effects | |
| Inhalation | May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. |
| Skin | May be harmful if absorbed through skin. Causes skin burns. |
| Eyes | Causes eye burns. |
| Ingestion | May be harmful if swallowed. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Formula Molecular Weight | : Li : 6.94 g/mol | |
|-----------------------------|----------------------|---------------|
| Component | | Concentration |
| Lithium | | |
| CAS-No. | 7439-93-2 | - |
| EC-No. | 231-102-5 | |
| Index-No. | 003-001-00-4 | |
| | | |

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

May burn in presence of air, or emit a flammable gas in the presence of water or water vapour. Keep away from heat/sparks/open flame/hot surface/air/water. No smoking.

Suitable extinguishing media

Use approved class D extinguishers or smother with dry sand, dry ground limestone, or dry clay. Dry powder

Extinguishing media which shall not be used for safety reasons

Do not use water, foam, or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Lithium oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

Conditions for safe storage

Store under argon. Handle under argon. Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 30 min Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| | Form | granular |
|----|---|---|
| | Colour | no data available |
| Sa | afety data | |
| | рН | no data available |
| | Melting point/freezing point | Melting point/range: 180 °C (356 °F) - lit. |
| | Boiling point | 1,342 °C (2,448 °F) - lit. |
| | Flash point | not applicable |
| | Ignition temperature | no data available |
| | Autoignition temperature | no data available |
| | Lower explosion limit | no data available |
| | Upper explosion limit | no data available |
| | Vapour pressure | 1 hPa (1 mmHg) at 723 °C (1,333 °F) |
| | Density | 0.534 g/mL at 25 °C (77 °F) |
| | Water solubility | no data available |
| | Partition coefficient: n-octanol/water | no data available |
| | Relative vapour density | no data available |
| | Odour | no data available |
| | Odour Threshold | no data available |
| | Evaporation rate | no data available |
| | | |

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Reacts violently with water.

Conditions to avoid

Exposure to moisture.

Materials to avoid

Forms shock-sensitive mixtures with certain other materials., Iron and iron salts., Heavy metals, Phosphorus, Sulphur compounds, Oxygen, Nickel, Do not store near acids., Metals

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Lithium oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity LD50 Intraperitoneal - mouse - 1,000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity

Genotoxicity in vivo - Human - Unreported Cytogenetic analysis

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

| Inhalation | May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. |
|------------|---|
| Ingestion | May be harmful if swallowed. |
| Skin | May be harmful if absorbed through skin. Causes skin burns. |
| Eyes | Causes eye burns. |

Signs and Symptoms of Exposure

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., Cough, Shortness of breath, Headache, Nausea

Synergistic effects

no data available

Additional Information

RTECS: OJ5540000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

| DOT (US) UN number: 1415 Class: 4.3 Proper shipping name: Lithium Marine pollutant: No Poison Inhalation Hazard: No | Packing group: I | |
|--|------------------|------------------|
| IMDG UN number: 1415 Class: 4.3 Proper shipping name: LITHIUM Marine pollutant: No | Packing group: I | EMS-No: F-G, S-N |
| IATA UN number: 1415 Class: 4.3 Proper shipping name: Lithium IATA Passenger: Not permitted for transpo | Packing group: I | |

15. REGULATORY INFORMATION

OSHA Hazards

Water Reactive, Corrosive

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know Components

| Lithium | CAS-No. 7439-93-2 | Revision Date 1993-04-24 |
|---------------------------------------|----------------------|-----------------------------|
| Pennsylvania Right To Know Components | | |
| Lithium | CAS-No. 7439-93-2 | Revision Date 1993-04-24 |
| New Jersey Right To Know Components | | |
| Lithium | CAS-No. 7439-93-2 | Revision Date 1993-04-24 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.